


1. Given the population mean,  $\mu = 32$ ; and, the population standard deviation,  $\sigma = 2.25$ , find:
  - a) Probability of  $x < 30$ .
  - b) Probability of  $x > 35$ .
  - c) Probability of  $x$  greater than 30 and less than 35; that is  $P(30 < x < 35)$
  - d) If we choose 56 values of the random variable at random, and the sample mean is = 33, considering that the population standard deviation is 2.25, what is the probability that samples of the same size are less than 33?
  - e) What is the  $x$  value that is above 99% of all other values of the variable?

ANSWERS, TI 84:

Press 2<sup>nd</sup> DIST:



- a) Probability of  $x < 30$ :


TI84, choose normalcdf and enter the lower, upper, mean and standard deviation values.

```

normalcdf
lower: -1E99
upper: 30
μ: 32
σ: 2.25
Paste
    
```

The lower bound is negative infinite, represented by  $-EE99$  (Press the little negative, then 2<sup>nd</sup>, then the comma key, and then 99). For negative infinite you may also enter -10000 or -99999.

The answer to a) is 0.1870 rounded to four decimal places:



- b) Probability of  $x > 35$ .

Greater than 35 means that 35 is the lower bound; the upper bound is infinity: E99. As follows:

```
normalcdf
lower: 35
upper: E99
μ: 32
σ: 2.25
Paste
```

The answer to b) is 0.0912 rounded to four decimal places:

```
normalcdf(35, E99, 32, 2.25)
.....0912112819
```

c)  $P(30 < x < 35)$

Lower bound is 30, upper bound is 35:

```
normalcdf
lower: 30
upper: 35
μ: 32
σ: 2.25
Paste
```

The answer to c) is 0.7218 rounded to four decimal places:

```
normalcdf(30, 35, 32, 2.25)
.....7217573574
```

d) For a random sample of the variable  $x$ , of size  $n = 56$ , the probability that samples means of the same size are less than 33:

In this case, the Central limit theorem applies; therefore, we divide the standard deviation by the square root of the sample size. This is a question of less than a value, as follows:

```
normalcdf
lower: -E99
upper: 33
μ: 32
σ: 2.25/√(56)
Paste
```

Answer: The probability that samples of size 56 are less than 33, is about 0.9996:

```
normalcdf(-E99, 33, 32, 2.25/√(56))
.....9995593035
```

e) The x value that is above 99% of all other values of the variable: In this case we know the probability or area, 0.99; choose Inverse Normal:

```
DISTR DRAW
1:normalpdf(
2:normalcdf(
3:invNorm(
4:invT(
5:tpdf(
6:tcdf(
7:χ²pdf(
8:χ²cdf(
9:Fpdf(
```

inv Norm in TI 84, again, we don't need to remember the syntax:

```
invNorm
area:0.99
μ:32
σ:2.25
Paste
```

The answer to d) is the variable x value that is above 99% of the population is  $x = 37.23$ , rounding to two decimal places.

```
invNorm(0.99,32,2.25)
.....37.23428272
```